

CiteSeer Find: (color or shade) and address and (Documents Citations

Searching for (color or shade) and address and (convert or conversion or translate or translation) and (banner).

Restrict to: Header Title Order by: Expected citations Hubs Usage Date Try: Google (CiteSeer) Google (Web) Yahoo! MSN CSB DBLP

N documents match Boolean query. Trying non-Boolean relevance query.

500 documents found. Only retrieving 250 documents (System busy - maximum reduced). Order: relevance to query.

What's Beyond Query By Example? - Boujemaa, Fauqueur, Gouet (2003) (Correct)

the clustering of Local Distributions of Quantized Colors (referred to as LDQC's) Extracted in pixel descriptor ADCS (Adaptive Distribution of Color Shades) is proposed. It is based on the distribution Figure 8) and the range radius, the query is translated by the system as a logical expression of www-rocq.inria.fr/~fauqueur/recherche/papiers/icisp03final.pdf

Experimental Assessment of the Effectiveness of Synthetic.. - Helen Mcbreen Paul (2000) (Correct)
(2 citations)

McBreen, H.Shade, P.Jack, M.Wyard, P.2000. Experimental
feathers.ccir.ed.ac.uk/helen/AGENTS-2000.pdf

Optimizing Combined Volume And Surface Data Ray Casting - Silva, Manssour, Freitas (Correct)

the same path so the algorithm can accumulate both color and opacity values along the ray. Both sampling Direct volume rendering algorithms transform, shade and project 3D voxels into 2D pixel space (see, the literature. These techniques either require conversion from one representation to the other or are www.inf.ufgrs.br/gpesquisa/cg/publications/mrms/silva-manssour-freitas.pdf

Conservative Radiance Interpolants for Ray Tracing - Bala (1996) (Correct) (10 citations)

If there is no intersection, the background color is returned otherwise, the ray tracer shades the color is returned otherwise, the ray tracer shades the point locally using the diffuse and specular ftp.lcs.mit.edu/student-workshop/1996/abstracts/Bala.ps

Reasoning About Action I: A Possible Worlds Approach - Ginsberg, Smith (1987) (Correct) (105 citations)

and that these objects don't change their shape or color unless someone deliberately modifies them. There be able to infer that if it moves the lamp, the shade and cord move, too. But when it tries to move ic.arc.nasa.gov/ic/people/de2smith/publications/frame.ps

A Fractal Video Communicator - Streit, Hanzo (1994) (Correct) (3 citations)

Block Description /Frequency (Type Edge Angle Shade no significant 18.03 gradient Midrange moderate rate was about 20 %higher due to the increased DB addressing. These finding were also confirmed by to the following manipulations [2]1. Linear translation of the block. 2. Rotation of the block by 0, www-mobile.ecs.soton.ac.uk/jurgen/vtc94.ps

Parallel Rendering Techniques for Multiprocessor Systems - Menzel (1994) (Correct) (5 citations)

hardware processor can calculate vertex colors based on a polygon's color and the light vector. primitives they are transformed, clipped and shaded. The shaded primitives are sent to the processor units in a modular, expandable architecture to address the problem of processor utilization. A www.uni-paderborn.de/fachbereich/AG/monien/PUBLICATIONS/./PUBLICATIONS/POSTSCRIPTS/M_Parallel_

The Do-I-Care Agent: Effective Social Discovery and.. - Ackerman, Starr, Pazzani (1997) (Correct)
(7 citations)

cars. From this, it may erroneously conclude that color is an excellent way to discriminate between the is not supported. Some systems, such as the SHADE and COINS matchmaker systems (Kuokka and Harada Provides An Overview Of Dica, Our Attempt To Address These Needs. 3. Dica: The Do-I-Care Agent www.ics.uci.edu/~ackerman/docs/97.riao/dica.riao.ps

CiteSeer Find:

Searching for (col r or shade) and address and (convert or c nversi n r translate or translation or transform) and (advertise or banner).

Restrict to: Header Title Order by: Expected citations Hubs Usage Date Try: Google (CiteSeer)
Google (Web) Yahoo! MSN CSB DBLP

Order: number of citations.

A Comparison Of Service Discovery Protocols And.. - Bettstetter, Renner (2000) (Correct) (3 citations)

She also does not know whether the printer supports color or not. Moreover, for Internet access she will

For example, they do not want to search for the IP address of the desired service or manually upload

James Kempf, Ryan Moats, and Pete St. Pierre. Conversion of LDAP Schemas to and from SLP Templates.

www.lkn.ei.tum.de/~chris/publications/eunice2000-slp.ps.gz

One or more of the query terms is very common - only partial results have been returned. Try Google (CiteSeer).

Try your query at: Google (CiteSeer) Google (Web) Yahoo! MSN CSB DBLP

CiteSeer.IST - Copyright Penn State and NEC

CiteSeer Find:

Searching for (color or shade or shading) and address and (convert or conversion or translate or translation or transform) and (address).

Restrict to: Header Title Order by: Expected citations Hubs Usage Date Try: Google (CiteSeer)
Google (Web) Yahoo! MSN CSB DBLP
23 documents found. Order: number of citations.

Visual Information Retrieval - Gupta, Jain (1997) (Correct) (110 citations)
(Opposite) Carriere de Bibemas" by Paul Czanne and color histogram of the painting. The color bands vision. To introduce VIR issues and techniques, we address three basic questions: What constitutes the which a prospective user of information can convert a request for information into a useful
www.dsi.unive.it/~smm/docs/gupta97.pdf

One or more of the query terms is very common - only partial results have been returned. Try Google (CiteSeer).

MindReader: Querying databases through multiple examples - Ishikawa, Subramanya.. (1998) (Correct) (56 citations)
query, and to specify the relative importance of color, shape and texture. Even worse, the user qualifying elements are along some diagonal in the address space. multi-level goodness scores"the 12# where #1 #2 r #1=r E Conversion from Distance Values to Goodness Values We
www.informedia.cs.cmu.edu/html/./documents/mindreader.pdf

A Probabilistic Approach to Object Recognition Using Local.. - Burl, Weber, Perona (1998) (Correct) (25 citations)
brightness or orientation pattern, texture, color, motion, or symmetry. Parts may also be defined object rather than the photometric appearance) to address the first issue. Pope and Lowe [17, 18] used using shape statistics to achieve invariance to translation, rotation, and scaling. Improved recognition
www-aig.jpl.nasa.gov/public/mls/diamond_eye/./home/burl/publications/ECCV98.ps.gz

Differentiated Multimedia Web Services Using Quality.. - Chandra, Ellis, Vahdat (2000) (Correct) (23 citations)
to textual information. For example, full color JPEG images are transcoded to a bitmap form to at web proxies is one traditional technique to address bandwidth limitations by replicating objects. Transcoding is a transformation that is used to convert a multimedia object from one form to another
www.cs.duke.edu/~surendar/infocom00.pdf

A Visibility Matching Tone Reproduction Operator for.. - Larson, Rushmeier.. (1997) (Correct) (22 citations)
contrast sensitivity, glare, spatial acuity and color sensitivity. We compare our results to previous simulation and electronic photography. Keywords: Shading, Image Manipulation. 1 Introduction The real of the Department of Energy Author's current address: Silicon Graphics, Inc.Mountain View, CA.
www.graphics.cornell.edu/academic/ARCH476.6/ward.pdf

Methods for Encrypting and Decrypting MPEG Video Data Efficiently - Tang (1996) (Correct) (18 citations)
goal is to develop an international standard for color and greyscale image compression. We do not video-makes the encryption difficult [7]We address the multimedia data 1 security in a novel way. baseline compression procedure as follows. 1. Transform the image into a suitable color space. This is
www.ini.cmu.edu/~sirbu/lt00/paper/mm96.ps.gz

Spatially Nonuniform Scaling Functions for High.. - Chiu, Herf, Shirley, .. (1993) (Correct) (16 citations)
in accurately reproducing highly saturated colors[5, 14, 17, 4]This is often referred to as a Bloomington, IN 47405 812 -855 -6486 e-mail address :chiuk |mherf |shirley shankar |wangc | in the resulting image. The goal of this scaling transformation is to produce an image on the CRT that
www.cs.utah.edu/~shirley/pubs/gi93.ps.Z

CiteSeer Find: (color or shade or shading) and scan Documents Citations

Searching for (color or shade or shading) and scan and (convert or conversion or translate or translation or transform) and (banner).

Restrict to: Header Title Order by: Expected citations Hubs Usage Date Try: Google (CiteSeer) Google (Web) Yahoo! MSN CSB DBLP

No documents match Boolean query. Trying non-Boolean relevance query.

500 documents found. Order: relevance to query.

Enforcing Integrability for Surface Reconstruction .. - Petrovic, Cohen.. (Correct)
shape reconstruction techniques shape-from-shading and photometric stereo. On a set of real and www-cvr.ai.uiuc.edu/kriegman-grp/classes/cs491kp/mainlra2.pdf

Textureshop: Texture Synthesis as a Photograph Editing Tool - Hui Fang John (Correct)
surface reconstruction. Assuming the input texture color variation is caused only by local normal include the generation of detail on manually-shaded painting, extracting and synthesizing a An ordinary photo is scanned in. b) Shape-from-shading applied to an object in the image to estimate graphics.cs.uiuc.edu/~jch/papers/textureshop.pdf

Hardware-Accelerated Interactive Illustrative Stipple.. - Polygonal Objects Vision (2002) (Correct)
of the Blinn-Phong model, N L) n is used to shade the object, which potentially reduces the number However, the stippling method of drawing and shading using dots has not received as much focus. In set is simple, with the standard trick for converting conditionals to vertex programs (compute both www.ecn.purdue.edu/purpl/level2/papers/stipple_VMV_2002.pdf

Point Light Source Estimation from Two Images and Its Limits - Stauder (2000) (Correct)
ftp.irisa.fr/local/tomics/tomics/publis/2000/IJCV2000-JS.ps.gz

Using A Color Reflection Model - To Separate Highlights (1987) (Correct)
Using A Color Reflection Model To Separate Highlights From www.bruegge.in.tum.de/publications/includes/pub/klinker1987iccv/klinker1987iccv.pdf

Fast Wavelet Based Volume Rendering by Accumulation of.. - Lippert, Gross (1995) (Correct) (22 citations)
method for fast and accurate volume intensity and color integration is elaborated, which employs wavelet by modern hardware accumulation buffers. Linear shading and attenuation can be introduced by basis of L 2 3 by the dilated and translated versions of #and In eq. 3) m denotes ftp.inf.ethz.ch/pub/publications/tech-reports/2xx/228.ps.gz

Int'l J. of Computer Vision, Marr Prize Issue, 2005. - Image Parsing Unifying (Correct)
a curve process (the markings on the field) a color region, and a region for nearby people. In -generic visual patterns, such as texture and shading, and object patterns including human faces and Figure 13(b) and by allowing small rotation and translation transformation we had 5,000 positive examples. www.stat.ucla.edu/~sczhu/papers/IJCV_parsing.pdf

Recovery of Chromaticity Image Free from Shadows via.. - Mark Drew School (2003) (Correct)
steve sys.uea.ac.uk ICCV'03 Workshop on Color and Photometric Methods in Computer Vision, Nice, shading and intensity from images. That is, a shaded sphere, say, will appear as a disk. This can Recovery of Chromaticity Image Free from Shadows via Illumination Invariance Mark S. Drew www.cs.sfu.ca/~mark/ftp/lccv03ColorWkshp/iccv03wkshp.pdf

An Extension of Fourier-Wavelet Volume Rendering by View .. - Michel Westenberg Michel (2001) (Correct)
computer graphics techniques such as illumination, shading, and colour [11] Due to their large size, the 7 similarly. Here j and k denote scale and translation, respectively. From the 1-D basis, a 2-D domain implementation of the wavelet X-ray transf m. This transf m combines integration along the www.cs.rug.nl/~roe/publications/wxfr.ps.gz

CiteSeer Find:

Searching for **color or shade or shading and scan and convert or banner or advertisement or advertising**.
Restrict to: Header Title Order by: Expected citations Hubs Usage Date Try: Google (CiteSeer)
Google (Web) Yahoo! MSN CSB DBLP
More than 10000 results. Only retrieving 500 documents (System busy - maximum reduced). Retrieving documents... Order: number of citations.

Visualizing the World-Wide Web with the Navigational View.. - Mukherjea, Foley (1995) (Correct)
(36 citations)

topic of the nodes may be represented by different colors. Similarly, special icons or brighter colors can
<ftp.cc.gatech.edu/pub/groups/gvu/tr/95-09.ps.Z>

On the Hardness of Approximating MAX k-CUT and its Dual - Kann, Khanna, Lagergren.. (1995) (Correct)
(35 citations)

edge set of minimum weight whose removal makes G k-colorable. For the Max k-Cut problem we show that,
if P
<cm.bell-labs.com/cm/ms/who/sanjeev/postscriptum/maxcut.ps.gz>

Gesture Recognition Using the Perseus Architecture - Kahn, Swain, Prokopowicz, Firby (1996) (Correct)
(34 citations)

types: intensity, edges, motion, disparity, and color. These few types of features are used by the many
the background OR often mistakes the person's shadow as part of the foreground. The floor OR does not
median width of the widest connected region on each scan line of the segmentation starting just below the
<www.cs.uchicago.edu/~swain/pubs/CVPR96-Perseus.ps.Z>

IP Switching and Gigabit Routers - Newman, Minshall, Lyon, Huston (1997) (Correct) (33 citations)

Add Branch message on an existing incoming VCI converts the connection to a point-to-multipoint
to reprint/republish this material for advertising or promotional purposes or for creating new
www.ipsilon.com/~pn/papers/ieee_comm96.ps

MAGMA: An Agent-Based Virtual Market for Electronic.. - Tsvetovatyy, Gini.. (1997) (Correct) (31 citations)

as well as specialized agents such as banks or advertisers. It is a proprietary server-side system,
to transport and store goods securely, means to advertise what is up for sale, economic mechanisms for
the item later, when the price has risen. 2.4 Advertising Advertising is one of the keystone elements
<www-users.cs.umn.edu/~gini/papers/magma.ps.gz>

Distributed Packet Rewriting - and its Application.. - Bestavros.. (1998) (Correct) (31 citations)

DNS standard, the different host IP addresses are advertised in turn [16]In addition to its violation of
this mapping could be done through DNS by advertising a number of IP addresses for a single domain
<www.cs.bu.edu/faculty/best/res/papers/icnp98.ps>

The Tiger Shark File System - Haskin, Schmuck (1996) (Correct) (30 citations)

deadline scheduling (as opposed to conventional scan or elevator algorithms)Tiger Figure 1. Tiger
in the way entertainment, instruction, news, advertising, and many other forms of information are
<www.research.ibm.com/webvideo/shark96.ps>

A Layered Architecture for Office Delivery Robots - Simmons, Goodwin, Haigh.. (1997) (Correct)
(30 citations)

light strip with a 30 degree field of view, and a color camera on a pan-tilt head. Control, perception,
rule. The navigation module takes a path plan and converts it to a desired heading direction for each
<www.cs.cmu.edu/afs/cs.cmu.edu/project/robocomp/xavier/www/papers/simmons97a.ps.gz>

On Accommodating Mobile Hosts in an Integrated Services Packet .. - Anup Talukdar (1997) (Correct)
(29 citations)

control schemes based on a new concept, called Shadow Cluster, to improve the QoS of mobile calls by

Visual Information Retrieval (1997) (Make Corrections) (112 citations)
 Amarnath Gupta, Ramesh Jain
 Communications of the ACM

View or download:
dsi.unive.it/~smm/docs/gupta97.pdf
 Cached: [PS.gz](#) [PS](#) [PDF](#) [Image](#) [Update](#) [Help](#)

CiteSeer [Home/Search](#) [Context](#) [Related](#) [DBLP](#)
[Metadata](#)

From: dsi.unive.it/~smm/docs/docs ([more](#))
 Homepages: [A.Gupta](#) [HPSearch](#) ([Update Links](#))

[\(Enter summary\)](#)

Rate this article: 1 2 3 4 5 (best)

[Comment on this article](#)

Abstract: ND BUSINESSMAN CALVIN MOORES COINED the term information retrieval [10] to describe the process through which a prospective user of information can convert a request for information into a useful collection of references. "Information retrieval," he wrote, "embraces the intellectual aspects of the description of information and its specification for search, and also whatever systems, techniques, or machines that are employed Amarnath Gupta and Ramesh Jain 72 May 1997/Vol. 40, No. 5... ([Update](#))

Cited by: [More](#)

Corresponding author. Tel.: 39-055-4796262; fax: 39-... - Mail Address Delbimbo (1999) ([Correct](#))
 CLUE: Cluster-based Retrieval of Images by Unsupervised.. - Chen, Wang, Krovetz (2003) ([Correct](#))
 Video Scouting: An Architecture And System For The.. - Multimedia Information In ([Correct](#))

Active bibliography (related documents): [More](#) [All](#)

0.3: Automatic Discrimination in Audio Documents - Chabane Djeraba Hakim ([Correct](#))
0.3: A Multimedia Information Retrieval Model Based On Semantic .. - Yueting Zhuang Sharad (1999) ([Correct](#))
0.2: VCB: Video Clip Browser and more - Messelodi, Modena (1995) ([Correct](#))

Similar documents based on text: [More](#) [All](#)

0.3: Unknown - An Inquiry Into ([Correct](#))
0.0: Lower Bounds for the Number of Bends in Three-Dimensional.. - Wood (2000) ([Correct](#))
0.0: A Pairing Technique for Area-Efficient Orthogonal Drawings.. - Papakostas, al. ([Correct](#))

Related documents from co-citation: [More](#) [All](#)

51: Query by Image and Video Content: The QBIC System (context) - Flickner, Sawhney et al. - 1995
31: Visualseek: a fully automated content-based image query system - Smith, Chang - 1996
30: Photobook: Content-based Manipulation of Image Databases - Pentland, Picard et al. - 1994

BibTeX entry: ([Update](#))

A. Gupta and R. Jain, "Visual information retrieval," Communications of the ACM 40(5), pp. 69-79, 1997.
<http://citeseer.ist.psu.edu/gupta97visual.html> [More](#)

```
@article{ gupta97visual,
  author = "Amarnath Gupta and Ramesh Jain",
  title = "Visual Information Retrieval",
  journal = "Communications of the ACM",
  volume = "40",
  number = "5",
  pages = "70--79",
  year = "1997",
  url = "citeseer.ist.psu.edu/gupta97visual.html" }
```

Citations (may not include all citations):

609 Query by image and video content: The QBIC system (context) - Flickner, Shawney et al. - 1995